




PRODUCT BULLETIN

Side Discharge Shower Drains

Convert a bath tub to a walk-in shower.

OS&B® offers a complete selection of Side Discharge Shower Drains giving you more installation options than ever. Gone are the days of having to break up a concrete floor to convert a bath tub to a walk-in shower.



Your job just got easier.™



For Molded (preformed) Bases


SD370*(-SS/BN/MBL) 2pc 1-1/2" Brass Side Discharge Shower Drain for use with molded Shower Bases

- *Was SDB37
- Low profile ABS round thread-in Flange
- Cast Brass Underbody
- 1-1/2" Copper DWV Hub Connection
- Round 4-1/4" Screw-in Stainless Steel (SD370-SS), Brushed Nickel (SD370-BN) or Matte Black (SD370-MBL) Grate
- cCSAus meets UPC Certified*




SD372*(-SS/BN/MBL) 2pc 2" Brass Side Discharge Shower Drain for use with molded Shower Bases

- *Was SDB37-2
- Low profile ABS round thread-in Flange
- Cast Brass Underbody
- 2" Copper DWV Hub Connection
- Round 4-1/4" Screw-in Stainless Steel (SD372-SS), Brushed Nickel (SD372-BN) or Matte Black (SD372-MBL) Grate
- cCSAus meets UPC Certified*




SD353(-SS/BN/MBL) 2pc 2" ABS Side Discharge Shower Drain for use with molded Shower Bases

- Low profile ABS round thread-in Flange
- ABS Underbody
- 2" ABS DWV Hub Connection
- Round 4-1/4" Screw-in Stainless Steel (SD353-SS), Brushed Nickel (SD353-BN) or Matte Black (SD353-MBL) Grate
- cCSAus meets UPC Certified*



SD352(-SS/BN/MBL) 2pc 2" PVC Side Discharge Shower Drain for use with molded Shower Bases


- Low profile PVC round thread-in Flange
- PVC Underbody
- 2" PVC DWV Hub Connection
- Round 4-1/4" Screw-in Stainless Steel (SD352-SS), Brushed Nickel (SD352-BN) or Matte Black (SD352-MBL) Grate
- cCSAus meets UPC Certified*



For Tile Bases - 1-1/2"


SD470*(-SS/BN/MBL) 3pc 1-1/2" Round Brass Side Discharge Shower Drain for use with tile Shower Bases

- *Was SDB47
- Low profile brass Underbody
- Extra-long ABS round Thread-in Flange for deeper installations
- Reversible ABS Clamping Collar allows for increased adjustability (2-1/4" max)
- 1-1/2" Copper DWV Hub Connection
- 3 solid brass Bolts
- Round 4-1/4" Screw-in Polished Stainless Steel (SD470-SS), Brushed Nickel (SD470-BN) or Matte Black (SD470-MBL) Gate
- cCSAus meets UPC Certified*




SD480*(-SS/BN/MBL) 3pc 1-1/2" Square Brass Side Discharge Shower Drain for use with tile Shower Bases

- *Was SDB48
- Low profile brass Underbody
- Extra-long ABS square Thread-in Flange for deeper installations
- Reversible ABS Clamping Collar allows for increased adjustability (2-1/4" max)
- 1-1/2" Copper DWV Hub Connection
- 3 solid brass Bolts
- Square 4-1/8" x 4-1/8" Snap-in Polished Stainless Steel (SD480-SS), Brushed Nickel (SD480-BN) or Matte Black (SD480-MBL) Grate
- cCSAus meets UPC Certified*




SD472(-SS/BN/MBL) 3pc 2" Round Brass Side Discharge Shower Drain for use with tile Shower Bases

- Low profile brass Underbody
- Extra-long ABS round Thread-in Flange for deeper installations
- Reversible ABS Clamping Collar allows for increased adjustability (2-1/4" max)
- 2" Copper DWV Hub Connection
- 3 solid brass Bolts
- Round 4-1/4" Screw-in Polished Stainless Steel (SD472-SS), Brushed Nickel (SD472-BN) or Matte Black (SD472-MBL) Grate
- cCSAus meets UPC Certified*
- **Available Q1 - 2021**



SD482(-SS/BN/MBL) 3pc 2" Square Brass Side Discharge Shower Drain for use with tile Shower Bases

- Low profile brass Underbody
- Extra-long ABS square Thread-in Flange for deeper installations
- Reversible ABS Clamping Collar allows for increased adjustability (2-1/4" max)
- 2" Copper DWV Hub Connection
- 3 solid brass Bolts
- Square 4-1/8" x 4-1/8" Snap-in Polished Stainless Steel (SD482-SS), Brushed Nickel (SD482-BN) or Matte Black (SD482-MBL) Grate
- cCSAus meets UPC Certified*
- **Available Q1 - 2021**



Finishes



*Certification




*The "cCSAus Meets UPC" mark means the product conforms to the requirements of the NPC, UPC, IPC and IRC.



OS&B[®]
your job just got easier

www.osb.ca
www.osbplumbing.com



www.osb.ca
www.osbplumbing.com

Note: OS&B® reserves the right to change product pricing, specifications or availability without notice.

OSBSDDPB-0920



Oakville Stamping & Bending Ltd.

T: 1.905.827.0320 1.877.314.6040 **F:** 1.905.827.6375 1.877.827.6040